### Prevention of Imported Dengue Fever in Kaohsiung City (for Workplace)

## Voluntary Notice by Foreign Workers and Expatriate Staff Coming/Returning to Taiwan from Epidemic Areas

Report time:	(YYYY/MM/DD, Time)

### ■ Returning staff info

Name/Nationality/Tel	Start Date of Symptoms	Symptoms	Current Residential Address
		Fever°C  Cough  Muscular/Skeletal soreness  Vomit or diarrhea  Others  None	Have you traveled overseas? No Yes

#### Notes:

1. Foreign workers or expatriate staff coming from areas affected by Dengue fever and/or Zika virus infection may go to the local Public Health Center for Dengue fever and/or Zika tests within 5 days of entering Taiwan. Those who voluntarily receive such tests will be given a NT\$250 coupon.

2. Updates on international epidemics: Centers for Disease Control's website: www.cdc.gov.tw/International Travel and Health/Recommended Alert Levels for International Travelers.

Go for a voluntary test within 5 days

# General symptoms

# Alarm symptoms

Pain behind Muscular pain Rash Headache Nausea

Mucosal bleeding: gastrointestinal hemorrhage, menstrual bleeding, hematuresis, nasal bleeding, gum bleeding, etc.

Continuous vomiting (Unable to eat and drink)

Hypersomnia, restlessness personality change

Continuous abdominal pain or acute abdominal pain

Shortness of breath, chest tightness or chest pain, abdominal distension

For suspected infection of Dengue fever, you may go to a local contracted hospital or any Public Health Center for a test. Results will be released in 30 minutes at the

- 1. In case of suspected Dengue fever symptoms, such as fever, headache, muscular and joint pain, and rash, please consult a doctor immediately.
- 2. Inform the doctor of your travel history in the past two weeks voluntarily to facilitate diagnosis, treatment, and reporting.



Joint pain